

JALITE Photoluminescent IMO LSA signs are designed to satisfy Chapter III, Regulation 9.2.2 and Regulation 9.2.3 of the SOLAS Convention. Signs are required to be easily seen under emergency lighting conditions and used in accordance with the recommendations of the IMO.

JALITE Photoluminescent signs satisfy the following Standards:



ISO 15370
Ships and marine technology -
Low Location lighting on
passenger ships - Arrangement.



Certificate nos:
MED-B-2546
MED-D-553

0575/08

Lifeboat & Liferaft

 Lifeboat	 Liferaft	 Davit launched liferaft
Code no.: 4500 Sizes: C, Q	Code no.: 4502 Size: C	Code no.: 4503 Size: C

Evacuation

 Embarkation ladder	 Evacuation slide	 Evacuation chute	 Scramble net
Code no.: 4504 Size: C	Code no.: 4505 Size: C	Code no.: 4604 Size: C	Code no.: 4989 Size: C

Lifejacket

 Lifejacket	 Childs lifejacket
Code no.: 4510 Size: C	Code no.: 4511 Size: C

Lifebuoy

 Lifebuoy	 Lifebuoy with line	 Lifebuoy with light	 Lifebuoy with light and smoke
Code no.: 4506 Size: C	Code no.: 4507 Size: C	Code no.: 4508 Size: C	Code no.: 4509 Size: C

Pyrotechnics

 Survival craft distress signal	 Rocket parachute flares	 Line-throwing appliance
Code no.: 4516 Size: C	Code no.: 4517 Size: C	Code no.: 4518 Size: C

Rescue Equipment


 Rescue boat	 Survival craft portable radio	 EPIRB	 Radar transponder
Code no.: 4501 Size: C	Code no.: 4513 Size: C	Code no.: 4514 Size: C	Code no.: 4515 Size: C

Survival Equipment

 Emergency escape breathing device	 Abandonment suit	 Anti-exposure suit	 Immersion suit	 Thermal protective aid	 Survival suit
Code no.: 4523 Size: C	Code no.: 4920 Size: C	Code no.: 4421 Size: C	Code no.: 4512 Size: C	Code no.: 4579 Size: C	Code no.: 4679 Size: C

Survival Craft Instructions

Frames are available in a range of colours.

 Fasten seatbelts	 Secure hatches	 Fasten seatbelts	 Secure hatches	 Start engine	 Lower lifeboat	 Lower liferaft
Code no.: 5501 Size: C	Code no.: 5502 Size: C	Code no.: 5501 Size: C	Code no.: 5502 Size: C	Code no.: 5503 Size: C	Code no.: 5504 Size: C	Code no.: 5505 Size: C
 Lower rescue boat	 Release falls	 Lower rescue boat	 Release falls	 Start water spray	 Start air supply	 Release gripes
Code no.: 5506 Size: C	Code no.: 5507 Size: C	Code no.: 5506 Size: C	Code no.: 5507 Size: C	Code no.: 5508 Size: C	Code no.: 5509 Size: C	Code no.: 5510 Size: C

Lifeboat Location




Code no.: 4500
Size: C, Q



Code no.: 4690
Size: G, L



Code no.: 4693
Size: G, L



Code no.: 4691
Size: G, L



Code no.: 4692
Size: G, L



Code no.: 4410
Size: C



Code no.: 4699
Size: G, L



Code no.: 4694
Size: G, L



Code no.: 4695
Size: G, L



Code no.: 4696
Size: G, L

Assembly Station Location



Code no.: 4519
Size: C, Q



Code no.: 4026
Size: C, Q



Code no.: 4860
Size: C, Q




Code no.: 4870
Size: C, Q




Code no.: 4680
Size: G, L



Code no.: 4683
Size: G, L



Code no.: 4684
Size: G, L



Code no.: 4685
Size: G, L



Code no.: 4688
Size: G, L



Code no.: 4681
Size: G, L



Code no.: 4686
Size: G, L




Code no.: 4687
Size: G, L

Wall mounted double sided and panoramic signs are designed for use in corridors to enable viewing from either direction.



Code no.: 4682
Size: FSG



Code no.: 4689
Size: FSG



Code no.: 4519
Size: P20

Assembly Station and Embarkation Station

Use letters or numbers to identify assembly or embarkation stations and place them on the right hand side of the safety sign. See example below for size compatibility.



Code no.: 4519
Size: C



Code no.: 4871
Size: P



Code no.: 4500
Size: Q



Code no.: 4621
Size: G



Code no.: 4871
Sizes: P, G



Code no.: 4872
Sizes: P, G



Code no.: 4873
Sizes: P, G



Code no.: 4874
Sizes: P, G



Code no.: 4875
Sizes: P, G



Code no.: 4876
Sizes: P, G



Code no.: 4860
Sizes:



Code no.: 4621
Sizes: P, G



Code no.: 4622
Sizes: P, G



Code no.: 4623
Sizes: P, G



Code no.: 4624
Sizes: P, G



Code no.: 4625
Sizes: P, G



Code no.: 4626
Sizes: P, G



Code no.: 4870
Sizes: C, Q

Photoluminescent Self-Adhesive Tapes

Vinyl Tape



Size	Product code
2cm x 5m	VT0502
4cm x 5m	VT0504
8cm x 5m	VT0508
2cm x 10m	VT1002
4cm x 10m	VT1004
5cm x 10m	VT1005
8cm x 10m	VT1008

Safety Wayguidance (Directional)

* The safety wayguidance decals are supplied separately to the photoluminescent tape so that they can be affixed at the most pertinent places along the escape route system. Decals are supplied in packs of 20 (10 left & 10 right).



Size	Product code
4cm x 5m	AT0504
8cm x 5m	AT0508
4cm x 10m	AT1004
5cm x 10m	AT1005
8cm x 10m	AT1008

Assembly Station (Directional)



Size	Product code
4cm x 10m	AS1004
5cm x 10m	AS1005
8cm x 10m	AS1008

Lifeboat (Directional)



Size	Product code
4cm x 10m	LB1004
5cm x 10m	LB1005
8cm x 10m	LB1008

Warning Tape



Size	Product code
4cm x 5m	WT0504
8cm x 5m	WT0508
4cm x 10m	WT1004
8cm x 10m	WT1008

Go Tape



Size	Product code
4cm x 5m	GT0504
8cm x 5m	GT0508
4cm x 10m	GT1004
8cm x 10m	GT1008

Shine and Glow Tape



Size	Product code
4cm x 5m	SG0504
8cm x 5m	SG0508
4cm x 10m	SG1004
8cm x 10m	SG1008

Low Location Lighting (LLL) System

These Photoluminescent LLL systems satisfy the luminance performance as required by ISO 15370. Certification in accordance with Marine Equipment Directive.



PVC Profiles

Product	Content Description
Product code: LLLPVC-10	This kit has sufficient components to provide 10m x 5cm of PVC LLL system . Decals are supplied in packs of 20 (10 left and 10 right).

Product	Content Description
Product code: LLLPVC-101	This kit has sufficient components to provide 10m x 5cm of PVC LLL system . Decals are supplied in packs of 20 (10 left and 10 right).

Product	Content Description
Product code: LLLPVC-102	This kit has sufficient components to provide 10m x 5cm of PVC LLL system . Decals are supplied in packs of 20 (10 left and 10 right).

Aluminium Profiles

Product	Content Description
Product code: LLLAL-10	This kit has sufficient components to provide 10m x 5cm of Aluminium system . Decals are supplied in packs of 20 (10 left and 10 right).

Product	Content Description
Product code: LLLAL-101	This kit has sufficient components to provide 10m x 5cm of Aluminium system . Decals are supplied in packs of 20 (10 left and 10 right).

Product	Content Description
Product code: LLLAL-102	This kit has sufficient components to provide 10m x 5cm of Aluminium system . Decals are supplied in packs of 20 (10 left and 10 right).

Prohibition Notices



Code.: 8314
Size: PT, M



Code.: 8316
Size: PT, M



Code.: 8315
Size: PT, M



Code.: 8318
Size: PT, M



Code.: 8317
Size: PT, M



Code.: 8690
Size: PT, M

Security Instructions



Code.: 8326
Size: Q



Code.: 8227
Size: Q




Code.: 5588
Size: G



Code.: 5597
Size: PT, M



Code.: 5599
Size: PT



Code.: 5598
Size: PT

CCTV Identification



Code.: W9258
Size: Q



Code.: W9249
Size: Q



Code.: W9250
Size: F

Sizes:

A: 100 x 100mm, F: 225 x 200mm, G: 150 x 300mm
M: 80 x 200mm, PT: 100 x 300mm, Q: 300 x 300mm

Material:

Unless otherwise stated, JALITE AAA signs are available in rigid pvc and self-adhesive vinyl.

Security Notices



Code.: W9252
Size: PT



Code.: W9251
Size: PT



Code.: W9015
Size: PT



Code.: W9253
Size: PT



Code.: W9248
Size: Q




Code.: W9247
Size: Q

The signs above are available on white rigid pvc.



Code.: W9245
Size: F




Code.: W9241
Size: F



Code.: W9255
Size: A



Code.: W9057
Size: A



Code.: W9242
Size: F



Code.: W9243
Size: F



Code.: W9256
Size: A



Code.: W9017
Size: M



Code.: W9018
Size: M



Code.: W9019
Size: M

The signs above are available on white vinyl with semi-permanent self adhesive backing and are sold in packs of 10.

Lock Identification



Code.: LB3963
Size: Each Label is 50mm x 25mm

Labels are available on white vinyl with a semi-permanent self adhesive backing. A pack contains all four designs.

Sign Sizes



Wall mounted double sided signs
FSG: 150 x 300mm
FSI: 200 x 400mm



L: 100 x 200mm
Maximum viewing distance: 13m



G: 150 x 300mm
Maximum viewing distance: 22m



Double sided signs
DSG: 150 x 300mm
DSI: 200 x 400mm
DSW: 250 x 500mm



I: 200 x 400mm
Maximum viewing distance: 30m



Panoramic sign
P15: 150 x 150mm
P20: 200 x 200mm



W: 250 x 500mm
Maximum viewing distance: 39m

Materials

All JALITE Photoluminescent safety signs are manufactured on the JALITE AAA material. When ordering, please state:

R for JALITE AAA Photoluminescent Rigid PVC or **V** for JALITE AAA Photoluminescent Self Adhesive Vinyl

Wall mounted double sided, double sided and panoramic signs are available in JALITE AAA Photoluminescent Rigid PVC.



Double-Sided Signs

Double-sided signs are designed to enable viewing from either direction.



4979 DSG
4979 DSI, 4979 DSW



4343 DSG
4343 DSI, 4343 DSW



4978 DSG
4978 DSI, 4978 DSW

Wall Mounted Double-Sided Signs

Wall mounted double-sided signs are perfect for escape doors positioned within corridors to enable viewing from either direction.



4344 FSG
4344 FSI



4343 FSG
4343 FSI

JALITE AAA has excellent luminance performance and satisfies International Standards for photoluminescent requirements.



BS ISO 16069:2004
Graphical symbols - Safety signs - Safety way guidance systems (SWGS)

Escape Route Signs

Escape route signs should be sited in conspicuous positions along the escape routes, priority given to the shortest possible route from any point. They are also required at every decision making point, indicating:

- Change of level
- Change of direction
- Identification of escape doors by siting signs above escape doors.

JALITE escape route signs conform to British and International Standards providing a standardised meaning of the direction of escape.



4344 G
4344 L, 4344 I, 4344 W



4343 G
4343 L, 4343 I, 4343 W



4979 G
4979 L, 4979 I, 4979 W



4980 G
4980 L, 4980 I, 4980 W



4975 G
4975 L, 4975 I, 4975 W



4973 G
4973 L, 4973 I, 4973 W




4977 G
4977 L, 4977 I, 4977 W



4978 G
4978 L, 4978 I, 4978 W

Panoramic Sign



4465 P15
4465 P20

Panoramic signs are designed for escape doors that are positioned within open plan areas or corridors.

No Escape



8247 C
8247 E

Site this sign on doors to clearly identify a non escape route.

JALITE AAA emergency first aid equipment signs are designed specifically to be conspicuous in both normal and dark conditions. These signs locate and identify the type of first aid equipment available.


Choosing Sign Sizes



C size: 150 x 150mm
Ideal for small offices or areas.



E size: 200 x 200mm
Ideal for large industrial areas.




Panoramic Signs
P15: 150 x 150mm
P20: 200 x 200mm



Wall mounted double sided signs
FS15: 150 x 150mm
FS20: 200 x 200mm

First Aid



Code no.: 4175
Sizes: C, E



Code no.: 4175
Sizes: FS15, FS20




Code no.: 4175
Sizes: P15, P20


Stretcher



Code no.: 4387
Sizes: C, E




Code no.: 4387
Sizes: FS15, FS20



Code no.: 4387
Sizes: P15, P20

Emergency Shower



Code no.: 4389
Sizes: C, E



Code no.: 4389
Sizes: FS15, FS20



Code no.: 4389
Sizes: P15, P20


Eye Wash Facility



Code no.: 4388
Sizes: C, E



Code no.: 4395
Sizes: FS15, FS20



Code no.: 4395
Sizes: P15, P20

Drinking Water



Code no.: 4390
Sizes: C, E



Code no.: 4390
Sizes: FS15, FS20



Code no.: 4390
Sizes: P15, P20

Defibrillator



Code no.: 4395
Sizes: C, E



Code no.: 4395
Sizes: FS15, FS20



Code no.: 4395
Sizes: P15, P20

Emergency Telephone



Code no.: 4392
Sizes: C, E



Code no.: 4392
Sizes: FS15, FS20



Code no.: 4392
Sizes: P15, P20

First Aid Call Point



Code no.: 4393
Sizes: C, E

Doctor/Paramedic



Code no.: 4396
Sizes: C, E

Emergency Stop



Code no.: 4182
Sizes: C, E

Hand Washing Facility



Code no.: 4391
Sizes: C, E



Code no.: 4391
Sizes: FS15, FS20



Code no.: 4391
Sizes: P15, P20

JALITE AAA Self Adhesive Safe Condition Tape

Size	Product code
4cm x 5m	GT0504
8cm x 5m	GT0508
4cm x 10m	GT1004
8cm x 10m	GT1008



Breathing Apparatus



Code no.: 4394
Sizes: C, E



Code no.: 4394
Sizes: FS15, FS20



Code no.: 4394
Sizes: P15, P20

JALITE AAA is an ideal cost effective solution for photoluminescent applications, providing exceptional initial brightness and excellent luminance performance.

Choosing Sign Sizes

Wall mounted double sided and panoramic signs are designed for use in corridors to enable viewing from either direction.



A size: 100 x 100mm
Ideal for placing next to fire alarm call points.



C size: 150 x 150mm
Ideal for small offices or areas.



E size: 200 x 200mm
Ideal for large industrial areas.



Panoramic Signs
P15: 150 x 150mm
P20: 200 x 200mm



Wall mounted double sided signs
FS15: 150 x 150mm
FS20: 200 x 200mm

Fire Alarm Location Signs



Code no.: 6421
Sizes: A, C, E



Code no.: 6421
Sizes: FS15, FS20



Code no.: 6421
Sizes: P15, P20

Fire Point Location Signs



Code no.: 6314
Sizes: A, C, E



Code no.: 6314
Sizes: FS15, FS20



Code no.: 6314
Sizes: P15, P20

Fire Extinguisher Location Signs



Code no.: 6422
Sizes: A, C, E



Code no.: 6422
Sizes: FS15, FS20



Code no.: 6422
Sizes: P15, P20

Fire Hose Location Signs



Code no.: 6420
Sizes: A, C, E



Code no.: 6420
Sizes: FS15, FS20



Code no.: 6420
Sizes: P15, P20

Risk Control Photoluminescent Signs

Smoking Prohibited



8024 A
8024 C, 8024 E



8024 FS15
8024 FS20

Hot Work Prohibited



Code no.: 8119
Sizes: C, E

Entry Prohibited



Code no.: 8040
Sizes: C, E

Lift Prohibited



Code no.: 8276
Sizes: C, E

Obstruction Prohibited



Code no.: 8078
Sizes: C, E

Mobile Phones Prohibited



Code no.: 8269
Sizes: C, E

Fire Telephone Location Signs



Code no.: 6424
Sizes: A, C, E



Code no.: 6424
Sizes: FS15, FS20




Code no.: 6424
Sizes: P15, P20

Emergency Stop Sign



Code no.: 6620
Sizes: C, E



JALITE AAA Self Adhesive Fire Equipment Tape

Size	Product code
4cm x 5m	SG0504
8cm x 5m	SG0508
4cm x 10m	SG1004
8cm x 10m	SG1008



Hazard Warning Signs



Warning electricity

Code no.:7011
Size: C



Warning toxic material

Code no.:7102
Size: C



Warning explosive material

Code no.:7137
Size: C



Warning biological hazard

Code no.:7176
Size: C



Warning corrosive

Code no.:7089
Size: C



Warning flammable materials

Code no.:7197
Size: C



Warning slippery surface

Code no.:7508
Size: C



Warning; drop (fall)

Code no.:7533
Size: C



Warning; obstacles

Code no.:7507
Size: C



Warning overhead load

Code no.:7540
Size: C



Warning radioactive material

Code no.:7131
Size: C



Warning laser beam

Code no.:7088
Size: C



Warning non-ionizing radiation

Code no.:7090
Size: C



Warning noise risk

Code no.:7206
Size: C



Warning fork lift trucks/industrial vehicles

Code no.:7099
Size: C

Mandatory - Personal Protection Equipment (PPE) Signs



Wear ear protection

Code no.:5094
Size: C



Wear head protection

Code no.:5039
Size: C



Wear hand protection

Code no.:5171
Size: C



Wear eye protection

Code no.:5049
Size: C



Wear mask

Code no.:5584
Size: C




Wear respirator

Code no.:5271
Size: C



Wear face shield

Code no.:5074
Size: C



Use welding mask

Code no.:5024
Size: C



Wear foot protection

Code no.:5034
Size: C



Wear antistatic footwear

Code no.:5091
Size: C



Wear high visibility clothing

Code no.:5602
Size: C



Wear protective clothing

Code no.:5476
Size: C



Wear safety harness

Code no.:5203
Size: C



Wear lifejacket

Code no.:5603
Size: C



Use guards

Code no.:5087
Size: C